











- Falls are a major health risk for care home residents, occurring three times more frequently than in the general population, leading to severe injuries and hospital admissions.
- Falls place a significant financial burden on the NHS, costing approximately £2 billion annually and contributing to waiting lists ⁽¹⁾.
- Action Falls is an evidence-based programme that has been shown to reduce falls by 43% in care home residents, providing a structured approach for care staff to identify and manage fall risks effectively.
- Action Falls was co-created by care home staff, owners, residents, family's researchers and NHS making it advocated by a wide range of stakeholders.
- Action Falls is cost effective within the National Institute for Care Excellence threshold for funding and costs £108 per resident.

Background

Preventing falls in care homes – how do we do it?

Care homes in England are predominantly run by private and third sector organisations with healthcare provided by the NHS, through General Practice and Community Health Services⁽¹⁾. Falls prevention has always been a key objective for care home staff, owners, residents, families and NHS and social care staff ⁽²⁾. Preventing falls in care homes is also important to regulators of quality and funding organisations ⁽²⁾ but until recently there was no evidence that falls could be prevented ^(3,4).

The Action Falls programme (5,6) was developed for and with care home staff, residents, visitors, the NHS and researchers with research funded by the NIHR. By being designed and delivered in conjunction with the care home sector Action Falls takes account of the differences between care home provider organisations, and individual homes within their organisations, it enlists the support of NHS and social care organisations who work with the care homes so that necessary expertise from the NHS and social care is available and referral pathways are agreed. Action Falls raises awareness amongst care home staff, provides staff training and education around falls, and helps them respond, with defined actions, in a structured way when residents fall, or are at risk of falls⁽⁷⁾.

Action Falls is the only evidence-based falls prevention programme available for care homes. It reduces falls by 43% in care home residents, is cost-effective meeting the National Institute for Health and Care Excellence (NICE) threshold for funding (5,6) and costs £108 per resident. The research included over 2000 residents and 190 care homes across England making it the largest care home study completed. Implementation research has highlighted (8) that Action Falls can be implemented at scale and pace, care home staff value and are able to use Action Falls, when it is embedding in routine care. It has been implemented with success in small, large, rural and city homes and in specialist homes, for example, for people who have dementia or have cultural requirements.



Recommendations for policy and practice

Action Falls is already recommended as best practice by the Department of Health and Social Care (DHSC) ⁽⁹⁾ and based on the improvement in outcomes for older persons, we recommend that the Action Falls Programme should be used in all care homes in England as an evidence-based programme to prevent the substantial harm associated with falls amongst residents. To achieve this the following policy actions at local, regional and national level are needed:

1. Action Falls must be part of Digital Care Records:

The Department of Health and Social Care should mandate that Action Falls is embedded into all digital care record systems used in care homes, incentivising software providers to incorporate this research-backed intervention.

2. Care Home Providers must provide Action Falls:

The Care Quality Commission should inform homes through the regulation process that they must provide Action Falls as part of their service and remove ineffective outdated falls prevention protocols

3. Care Home Staff must be trained to use Action Falls:

The Care Quality Commission should through its regulatory process introduce Action Falls training as a requirement for all care home employees.

4. Promote collaboration at ICS Level:

The DHSC should encourage ICS leaders to champion Action Falls by working closely with local care providers, patient groups, and commercial partners to ensure successful implementation.

5. Regular Programme Review:

Conduct a three-year evaluation to assess fidelity of implementation, measure impact, and refine the programme based on emerging evidence. This could be funded through the NIHR programmes.

By implementing these measures, policymakers can drive systemic change, protect care home residents, and reduce the burden of falls on the healthcare system.

References

- Public Health England. Falls: Applying All Our Health, available online at: www.gov.uk/government/publications/ falls-applying-all-our-health/falls-applying-all-our-health (accessed 9th July 2024).
- The Care Inspectorate. Managing Falls and Fractures in Care Homes for Older People - Good Practice Resource, https://www.careinspectorate.com/images/ documents/2737/2016/Falls-and-fractures-new-resourcelow-res.pdf. 2016;
- 3. Exploring System-Wide Cost Of Falls In Older People | The King's Fund [Internet]. [cited 2024 Jul 19]. Available from: https://www.kingsfund.org.uk/insight-and-analysis/reports/system-wide-costs-falls-older-people-torbay
- Gordon AL, Franklin M, Bradshaw L, Logan P, Elliott R, Gladman JR. Health status of UK care home residents: a cohort study. Age Ageing. 2014 Jan;43(1):97-103. doi: 10.1093/ ageing/aft077. Epub 2013 Jul 17. PMID: 23864424; PMCID: PMC3861334.
- Logan PA, Horne JC, Gladman JRF, Gordon AL, Sach T, Clark A et al Multifactorial falls prevention programme compared with usual care in UK care homes for older people: multicentre cluster randomised controlled trial with economic evaluation. BMJ. 2021 Dec 7;375:e066991. doi: 10.1136/bmj-2021-066991. PMID: 34876412; PMCID: PMC8649897.
- Philippa A Logan, Jane C Horne, Frances Allen, Sarah J Armstrong, Allan B Clark, Simon Conroy, Janet Darby, Chris Fox, John RF Gladman, Maureen Godfrey, Adam L Gordon, Lisa Irvine, Paul Leighton, Karen McCartney, Gail Mountain,

- Kate Robertson, Katie Robinson, Tracey H Sach, Susan Stirling, Edward CF Wilson and Erika J Sims. A multi-domain decision support tool to prevent falls in older people: the FinCH cluster RCT. Health Technol Assess 10.3310/CWIB0236 2021.
- Paul A Leighton, Janet Darby, Frances Allen, Marie Cook, Rachel Evley, Chris Fox, Maureen Godfrey, Adam Gordon, John Gladman, Jane Horne, Kate Robertson, Pip Logan, A realist evaluation of a multifactorial falls prevention programme in care homes, Age and Ageing, Volume 51, Issue 12, December 2022, afac263, https://doi.org/10.1093/ageing/afac263
- 3. Professor Pip Logan, Dr Jane Horne, Dr Fran Allen, Maureen Godfrey, Professor Adam Gordon, Professor John Gladman, Dr Katie Robinson, Dr Paul Leighton, Dr Janet Darby, Michael Fletcher, Professor Gillian Manthorpe, Professor Barbara Hanratty, Professor Dan Lasserson, Professor Elizabeth Orton. FinCH Implementation study: Falls prevention in care homes led by NIHR ARC East Midlands working with NIHR ARC North East North Cumbria, NIHR ARC West Midlands and NIHR ARC South London. https://www.arc-wx.nihr.ac.uk/research-areas-list/finch-implementation-study%3A-falls-prevention-in-care-homes-led-by-nihr-arc-east-midlands-working-with-nihr-arc-north-east-north-cumbria%2C-nihr-arc-west-midlands-and-nihr-arc-south-london. Accessed; 04.04.2025
- NHS England (2023) Providing proactive care for people living in care homes – Enhanced health in care homes framework Available at: https://www.england.nhs.uk/long-read/providing-proactive-care-for-people-living-in-care-homes-enhanced-health-in-care-homes-framework/ Accessed: 11.12.24



About the research team:

Professor Pip Logan, Dr Fran Allen, Dr Janet Darby, Professor Adam Gordon, Ms Sandy Burgess, Professor Liz Orton, Dr Emma Mcmanus, Dr Boilang Gu, Mr Peter Smith, Dr Katie Robinson.

The team consists of clinical academic allied health professionals, public health consultants, medics and nurses, care home staff, academics medical statisticians and health economists. The core team are from the University of Nottingham, Centre for Rehabilitation and Ageing Research.

This study was funded by Wessex ARC and supported by East Midlands ARC and Greater Manchester ARC. The study was managed by the University of Southampton. The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.